


GATE POST

Park light

نور عمان



NOOROMAN





GATE POST LED

Gate Light

Application

Suitable for outdoor application.

Technical Data

Body:

- White or black powder coated high pressure die-cast aluminium body
- Downward LED to light the pole in white color (GP610B2CP1LED...)

Reflector:

- Sturdy powder coated aluminium reflector in white

Diffuser:

- Single piece clear UV stabilized polycarbonate

IP Rating:

- IP65

Gasket:

- Silicone gasket ensure high ingress protection between body and bulb

Connections:

- Exterior Dacromet screws with interior galvanized

Electrical components:

- 3 poles wire terminals with wire connection without tool
- High quality constant current LED driver (PF > 0.9) in some versions
Standard LED module with CRI > 80
- Standard LED module with high efficacy and life expectancy > 50,000 hrs

Ordering options

- Luminaire body in yellow or red colors
- Optional wall top luminaire bracket in black, yellow, or red
- Optional wall mount bracket in yellow or red
- Optional pole top bracket in yellow or red (upon request)

Accessories

- Wall top luminaire bracket
- Wall mount bracket
- Pole top bracket (180° apart)



GP610ECB...-W




GP610ECA...-W




GP610B...-W

Cat. No.	Power Consumption (W)	Luminance Flux (lm)	Efficacy (lm/W)	Color Temperature (K)	W (kg)
GP610ECA11LED3830-W	32	2600	81	3000	2.4
GP610ECA11LED3865-W	32	3000	94	6500	2.4
GP610ECB21LED3830-W	32	2600	81	3000	3.9
GP610ECB21LED3865-W	32	2800	88	6500	3.9
GP610B2C1LED3830-W	27	2600	96	3000	3.8
GP610B2C1LED3865-W	27	3200	118	6500	3.8
* GP610B2CP1LED3830-W	27	2600	96	3000	4.0
* GP610B2CP1LED3865-W	27	3200	118	6500	4.0



* Downward LED to light the pole



GP610ECB...
GP610B...



GP610ECA...



Specially designed high pressure die-cast aluminium body and the use of one single screw results in easy luminaire mounting on poles.

- Refer to page 4 for details on accessories.
- Available also in 3000K color temperature. (GP6...LED3830-...)

Accessories



WT2-Bracket



PTT2-BRACKET-W



WT3-BRACKET-W

Optional downward LED to light the pole in different color



Mounting Symbols



Wall top luminaire bracket



Mounting height range (Vertical)



2 Way, bracket



Wall mount bracket